Keep an eye on your total costs



LCULATOR

Cost analysis Results

technomelt supra

Value Calculator

□ Dowr
■ Maint

EVA based Hotmelt

Oupru

Pro control





Discover the Treasure of True Quality: **technomelt** supra



Your benefits

- > Reduction of total cost
- > Better application results
- > Less adhesive consumption

Our support

We provide a concrete analysis of your savings potential with the Technomelt® Supra Value Calculator

We verify Technomelt® Supra's superior qualities through the ProControl monitoring tool

We offer comprehensive support services during your switch to Technomelt® Supra

Interested?

Contact us today and start saving now!



Hunting for treasure?



Discover the value of technomelt'supra

The Henkel Value Package

4 key elements to help you succeed

As the largest adhesives manufacturer worldwide, Henkel is known for its comprehensive range of reliable, high-quality products.



We offer an extensive, concerted system of products and services that contribute to your success. Through a unique combination of four key elements – product, process, services and design – we can offer you consistent excellence.

Product

Our innovative products guarantee quality and efficiency.

Process

With solutions tailored specifically to your needs, we help to optimize your processes.

Services

Our experience is your advantage: We offer competent support, both on-site at your factory and in our own in-house facilities.


Design

We provide active support for your product innovations and projects.



Reduce your total costs

Decrease expenses Increase performance





Quality without compromise technomelt'suprathe adhesive for high demands

Whether you're looking for an adhesive for spout bonding, straw application, trickle-proof packages, palletizing, or any other purpose, the Technomelt® Supra family offers the ideal solution for every application. **High-Quality Bonding** > Compatible with a large variety of substrates and packaging materials (including coated, varnished or printed trays, wraparound cartons, folding boxes, paper and cardboard) > Excellent machinability and clean bonding > Suitable for difficult applications, including those involving high machine speeds with only brief contact pressure, packaging materials with high memory forces, or lack of counterpressure > Excellent adhesive flow ensures effective wetting of the substrates **Broad Service** > Suitable for hot filling (e.g. ketchup, jam) and for frozen-food packages (e.g. pizza, ice cream) Temperature Range > Reliable bonding even in difficult and extreme temperature conditions > Heat resistance and cold flexibility in one – the same adhesive allows you to export your products to countries with hot or cold climates. **Low Complexity** > High versatility reduces the number of adhesives required > Minimized risk of mixing up adhesives > Simplified warehouse management **Attractive Package** > Appealing color: adhesive is crystal clear when molten, white when hardened **Appearance** > Precise, even and economical application Safe Working > Nearly odorless **Conditions** > No solvents > Very low emission level **Direct Food Contact** > Suitable for use in the food industry > Approved for direct food contact **Environmentally-**

> Reduced adhesive usage

of cardboard packaging

> Less waste due to reduction in bonding failures

> Applying less adhesive means easier recycling

Friendly



Setting standards in productionOptimizing your production processes

Henkel provides a comprehensive range of solutions to assist you in optimizing processes, cutting production costs and improving product quality.

Put us to the test!

There's no need to take our word for it – Technomelt® Supra's advantages can be plainly observed. Our ProControl adhesive monitoring system allows us to identify and document the concrete saving potential that Technomelt® Supra can bring to your production process.

Years of successful use at customers' production facilities has shown that, compared to conventional EVA hotmelts, Technomelt® Supra can reduce adhesive usage by as much as 35% and significantly increase productivity.

ProControl: quality management in adhesive application

- > Monitors adhesive consumption with unparalleled accuracy of measurement
- > Can be integrated into all common adhesive application systems
- > Suitable for hotmelts as well as dispersion adhesives


ProControl consists of a measuring unit and a control module equipped with a touchscreen.



Convincing performance in adhesive feeding systems

With Technomelt® Supra, Henkel presents a packaging adhesive that is particularly suited for use in automated adhesive feeding systems. Having a closed adhesive supply system saves time, reduces human error, improves work safety, and helps to prevent temperature fluctuations and to keep foreign matter from working its way into the system.

Adhesive feeding systems add small quantities of adhesive to the melter as required, automatically maintaining the ideal level of adhesive and keeping the temperature virtually constant throughout the closed system.



Technomelt® Supra: ideal for automated granule feeding systems

- > Easy to convey
- No system blockage due to agglomerated adhesive



360° serviceFull service for your adhesives applications

Our expertise is your advantage: The entire Henkel team offers you active, competent and extensive consulting and support whenever you need it.



Support when switching adhesives

- > Technical assistance by Henkel experts for running-in and optimizing your systems
- > Support by experienced specialists in switching your production to Technomelt® Supra



On-Site Training

- Customized technical training and advice on the optimal use of packaging adhesives in your own systems
- > Fine-tuning of your adhesive processing parameters

Operating Assistance

- > Joint analysis and evaluation of adhesive-related production processes
- > Development and appraisal of performance-enhancing modifications
- > Defining of measures to monitor the processes and the results



Henkel's In-House Services

- Tests using your materials make it possible to perform initial analyses and minimize the risks when introducing new applications and new substrates. This also avoids interruptions to your operations and reduces the necessary development effort.
- > Analyzing and testing of adhesives and substrates at our in-house laboratories significantly accelerates your new developments, solutions and approvals.





Innovation requires expert and reliable partners Turn your new ideas into reality – with our experience

Whether you're implementing new packaging designs, utilizing innovative materials, or integrating new machines into your production processes – Henkel's experience is at your service.

Developing and Introducing Innovative Processes and Substrates

- ➤ In the Henkel Technology Center we develop solutions for working with new materials and new packaging designs, thus allowing you to process even challenging new materials.
- > Henkel provides you with detailed reports



Profit from Henkel's Cooperation with Machine and Substrate Manufacturers

- > Long-standing close collaboration with manufacturers of adhesives processing systems and substrate manufacturers
- > Our experts help you to solve adhesive-related issues in your processing system



Focus on Safety, Health and Environment

- > We are dedicated to the principles of sustainability and environmental protection.
- > All Henkel products combine high customer benefits with ecological compatibility.
- > We maintain the highest standards for comprehensive product safety and health protection.



Discover your true savings potential...

How much would you save by using **technomelt** supra?

Using the Technomelt® Supra Value Calculator, we can accurately analyze the total costs of your adhesive processes and determine your savings potential. Simply arrange an appointment with our specialists – and they will visit your production facilities to conduct an in-depth analysis of your system costs and potential savings.



Contact us today!

Phone: +49-211-797-4099 EOL@henkel.com